



**DIRSAN<sup>®</sup>**

*home warmer*

*warms your heart,  
warms your home...*



# INDEX

MASTER	04
EXCELLENT	06
BIG	08
SPECK	10
LEANDER	12
BEST	14
OMEGA	16
SHOW	18
FAVORI	20
MULTI	22
LIFE	24
ELEGANT	26
DELUXE	28
DIVA	30
STOVE-PIPE	32

We as DİRSAN heating systems, are realed to production high heat fireplace and ovenstove such as different colours an models with **TSE TB 4903 EN 13740** and **CE** certificates since 1975 year.





 **9001 XY**  
MASTER GOLD



 **9001 XS**  
MASTER BLACK



 **9001 XG**  
MASTER GRAY



#### TECHNICAL DETAILS

Dimensions	: 610 x 790 x 620 mm
Weight	: 110 KG
Nominal Performance	: 8-10 kw
Smoke Tube	: 130-160 mm
Quality Certificate	: 



Practical ash discharge drawer is helped for you using easier.



When the air controls are set to minimum, the flames dance above the logs as only the secondary combustion is visible.

#### PACKING DETAILS

Dimensions	: 635 x 630 x 965 mm
Weight	: 125 KG
<b>Dispatching</b>	
40' Ft Container	: 104
Truck	: 120

“Master mass are produced for like quality and excellent. Master is marvelous with modern and a estetic appearance for you and your home. Its large glass door is find to occupation in like fire-place view of wood fire.”



 **8050 XS**  
EXCELLENT BLACK



 **8050 XG**  
EXCELLENT GRAY



 **8050 XR**  
EXCELLENT RED



TECHNICAL DETAILS	
Dimensions	: 330x540x1220 mm
Weight	: 86 kg
Nominal Performance	: 7 Kw
Smoke Tube	: 120 mm
Quality Certificate	:  CE



This stove has got white size 310 x 140 x 255 mm oven.



This stove is system with automatic ash elimination and automatic ash discharge. Also it is used to burn wood and coal.

PACKING DETAILS	
Dimensions	: 380x610x1380 mm
Weight	: 95 Kg
Dispatching	
40' Ft High Coupe	: 234
Truck	: 264

“Excellent is produced for very variety. Also it can make perfect and delicious meal. Its larger oven's door is easier view cooking meal. It is marvelous with high-heat fertility and perfect for you.”



It is from back out system.



This stove is system with automatic ash elimination and automatic ash discharge. Also it is used to burn wood and coal.

 **8010 XS**  
BIG BLACK

 **8010 XG**  
BIG GRAY

 **8010 XR**  
BIG RED

**TECHNICAL DETAILS**

Dimensions	: 350 x 570 x 1100 mm
Weight	: 73 KG
Nominal Performance	: 7 kw
Smoke Tube	: 120 mm
Quality Certificate	:



**PACKING DETAILS**

Dimensions	: 375 x 610 x 1245 mm
Weight	: 82 KG
<b>Dispatching</b>	
40' Ft High Coupe	: 234
Truck	: 264

“This is modern and excellent model, automatic ash elimination and automatic ash discharge systems are presented for you easier using.”



It's output on pipe doesn't any more place in your rooms.



This stove is system with automatic ash elimination and automatic ash discharge. Also it is used to burn wood and coal.

 **8020 XS**  
SPECK BLACK

 **8020 XG**  
SPECK GRAY

 **8020 XR**  
SPECK RED

**TECHNICAL DETAILS**

Dimensions	: 350 x 570 x 1100 mm
Weight	: 74 KG
Nominal Performance	: 7 kw
Smoke Tube	: 120 mm
Quality Certificate	:



**PACKING DETAILS**

Dimensions	: 375 x 610 x 1245 mm
Weight	: 83 KG
<b>Dispatching</b>	
40' Ft High Cupe	: 234
Truck	: 264

“Speck made by quality materials and with high-heat fertility use to for a long time. Its exit on pipe doesn't cover very big place.”



 **8030 XS**  
LEANDER BLACK

 **8030 XG**  
LEANDER GRAY

 **8030 XR**  
LEANDER RED



**TECHNICAL DETAILS**

Dimensions	: 350 x 570 x 1100 mm
Weight	: 75 KG
Nominal Performance	: 7 kw
Smoke Tube	: 120 mm
Quality Certificate	:  CE



It is from back out system.



This stove is system with automatic ash elimination and automatic ash discharge. Also it is used to burn wood and coal.

**PACKING DETAILS**

Dimensions	: 375 x 610 x 1245 mm
Weight	: 84 KG
<b>Dispatching</b>	
40' Ft High Coupe	: 234
Truck	: 264

“Leander is excellent and with shape line marvelous models are attention with different colour. Leander is maximum heat fertility has with automatic ash elimination and automatic ash discharge systems for you easier using.”



It's output on pipe doesn't any more place in your rooms.



This stove is system with automatic ash elimination and automatic ash discharge. Also it is used to burn wood and coal.

 **8040 XS**  
BEST BLACK

 **8040 XG**  
BEST GRAY

 **8040 XR**  
BEST RED

**TECHNICAL DETAILS**

Dimensions	: 350 x 570 x 1100 mm
Weight	: 75 KG
Nominal Performance	: 7 kw
Smoke Tube	: 120 mm
Quality Certificate	:



**PACKING DETAILS**

Dimensions	: 375 x 610 x 1245 mm
Weight	: 84 KG
<b>Dispatching</b>	
40' Ft High Coupe	: 234
Truck	: 264

"The Best made by quality materials attention with excellent and shape line. It's high-heat fertility and larger iner body is present for you."



**8090 XS**  
OMEGA BLACK



**8090 XG**  
OMEGA GRAY



**8090 XR**  
OMEGA RED



**TECHNICAL DETAILS**

Dimensions	: 330x530x1240 mm
Weight	: 84.50 Kg
Nominal Performance	: 6 Kw
Smoke Tube	: 120 mm
Quality Certificate	:



This stove has got with size 310 x 140 x 255 mm oven.



This stove is system with automatic ash elimination and automatic ash discharge. Also it is used to burn wood and coal.

**PACKING DETAILS**

Dimensions	: 380x610x1370 mm
Weight	: 91.50 Kg

**Dispatching**

40' F1 Container High Cube	: 234
Truck	: 264

“This stove is different colours and high-heat fertility and also with modern oven style is easier cooking meal is present you style with Omega.”



 **8000 XS**  
SHOW BLACK



 **8000 XG**  
SHOW GRAY



 **8000 XR**  
SHOW RED



TECHNICAL DETAILS	
Dimensions	: 350 x 570 x 953 mm
Weight	: 71 KG
Nominal Performance	: 6 kw
Smoke Tube	: 120 mm
Quality Certificate	: 



It is from back out system.



This stove is system with automatic ash elimination and automatic ash discharge. Also it is used to burn wood and coal.

PACKING DETAILS	
Dimensions	: 375 x 610 x 1100 mm
Weight	: 78 KG
Dispatching	
20' Ft Container	: 114
40' Ft Container	: 234
Truck	: 204

“SHOW was made especially for for small place and has high-heat fertility. It has large glass door is presented easier view of wood fire and it has got easier using with automatic ash elimination and automatic ash discharge systems.”



It's output on pipe doesn't any more place in your rooms.



This stove is system with automatic ash elimination and automatic ash discharge. Also it is used to burn wood and coal.

 **8060 XS**  
FAVORI BLACK

 **8060 XG**  
FAVORI GRAY

 **8060 XR**  
FAVORI RED

**TECHNICAL DETAILS**

Dimensions	: 350 x 570 x 953 mm
Weight	: 72 KG
Nominal Performance	: 6 kw
Smoke Tube	: 120 mm
Quality Certificate	:



**PACKING DETAILS**

Dimensions	: 375 x 610 x 1100 mm
Weight	: 79 KG

**Dispatching**

20' Ft Container	: 114
40' Ft Container	: 234
Truck	: 264


“FAVORI is presented with automatic ash elimination and automatic ash discharge systems are burning coal discrimination. Also its stove body hold heat is longer heat fertility.”



It is from back out system.



This stove is system with automatic ash elimination and automatic ash discharge. Also it is used to burn wood and coal.

 **8070 XS**  
MULTI BLACK

 **8070 XG**  
MULTI GRAY

 **8070 XR**  
MULTI RED

**TECHNICAL DETAILS**

Dimensions	: 350 x 570 x 953 mm
Weight	: 73 KG
Nominal Performance	: 6 kw
Smoke Tube	: 120 mm
Quality Certificate	:



**PACKING DETAILS**

Dimensions	: 375 x 610 x 1100 mm
Weight	: 80 KG
<b>Dispatching</b>	
20' Ft Container	: 114
40' Ft Container	: 234
Truck	: 264

“MULTI is presented to view of wood fire with larger glass door. MULTI is presented with shape line and marvelous style four you.”



It's output on pipe doesn't any more place in your rooms.



This stove is system with automatic ash elimination and automatic ash discharge. Also it is used to burn wood and coal.

 **8080 XS**  
LIFE BLACK

 **8080 XG**  
LIFE GRAY

 **8080 XR**  
LIFE RED

**TECHNICAL DETAILS**

Dimensions	: 350 x 570 x 953 mm
Weight	: 73 KG
Nominal Performance	: 6 kw
Smoke Tube	: 120 mm
Quality Certificate	:  

**PACKING DETAILS**

Dimensions	: 375 x 610 x 1100 mm
Weight	: 80 KG
<b>Dispatching</b>	
20' Ft Container	: 114
40' Ft Container	: 234
Truck	: 204

“LIFE is presented with high heat fertility and disperse to your home by almost. It's modern style and different colours are different for your life.”



Large glass door for perfect view



**TECHNICAL DETAILS**

Dimensions	: 460x555x910 mm
Weight	: 83 Kg
Nominal Performance	: 7 Kw
Smoke Tube	: 150 mm
Quality Certificate	: 

**PACKING DETAILS**

Dimensions	: 510x610x1080 mm
Weight	: 90 Kg
<b>Dispatching</b>	
20' Ft Container	: 72
40' Ft Container	: 152
Truck	: 208



 **8400 XS**  
ELEGANT BLACK



 **8400 XG**  
ELEGANT GRAY



 **8400 XR**  
ELEGANT RED

“Elegant is presented to view of wood fire with larger glass door and large combustion chamber for high-heat fertility for the cold winter nights.”



Large glass door for perfect view



#### TECHNICAL DETAILS

Dimensions	: 460x530x1100 mm
Weight	: 83 Kg
Nominal Performance	: 7 Kw
Smoke Tube	: 150 mm
Quality Certificate	: 

#### PACKING DETAILS

Dimensions	: 510x590x1170 mm
Weight	: 90 Kg
<b>Dispatching</b>	
20' Ft Container	: 72
40' Ft Container	: 152
Truck	: 208



"Deluxe is presented to view of wood fire with larger glass door and large combustion chamber for high-heat fertility. Deluxe is also perfect for your home with modern and esthetic appearance."



 **8200 XS**  
DIVA BLACK



 **8200 XG**  
DIVA GRAY



 **8200 XR**  
DIVA RED



**CENTRAL HEATING SYSTEM WITH MECHANIC THERMOSTAT**

- Due to the fact that its grill section is detachable it can be easily replaced
- You can replace the firestone without detaching any parts.
- Due to its circulation pump, it distributes the heat equally to all the radiators. It works quietly. With the help of its 3-level cycle setting, its circulation speed can be adjusted.
- It can burn all kinds of solid fuels with high efficiency.
- With the help of its large loading lid the loading of fuel is easy.
- With the help of its rotating grill system it discharges ashes automatically with its manual lever
- It has a fan bolt. This enables you to control the airflow by opening and closing it.
- With the help of the mechanic thermostat unit after once you adjust the temperature, the system operates automatically. The control system has a safety system against extreme hot and cold conditions.
- Due to the fact that its upper lid is manufactured from high-temperature resistant glass you may observe the burning process inside the boiler.
- All of our products are patented, and they may not be imitated.
- Please use the "power source" and "antifreeze".
- It has a motor thermostat in its indicator panel. With the help of these thermostats the circulation pump initiates and terminates its operation at the desired temperature.
- Due to the fact that the furnace warms its own upper lid, you may warm food or similar things.
- It can connect heat exchanger for hot water.

FUEL TYPE	SOLID FUEL
HOT POWER (Kcal/h) (8000-8000 Kcal/h FOR COAL)	25000+3000+28000 Kcal/h
BOILER INPUT-OUTPUT (INCH)	1"
HOT WATER INPUT-OUTPUT (INCH)	1/2"
OPERATING PRESSURE	1.2 BAR
FURNACE PIPE DIAMETER	150 mm
THE AMOUNT OF FUEL LOADED	20 kg
HEAT EFFICIENCY	54%
ELECTRICITY	220 V 50 Hz
TOTAL WEIGHT	170 kg
THE AMOUNT OF WATER FOR BOILER	30 lt





**TECHNICAL DETAILS**

- ø 13 - 100 cm
- ø 13 - 70 cm
- ø 13 - 50 cm
- ø 13 - 33 cm
- ø 13 - 25 cm
- ø 13 - 16 cm
- ø 13 - L-Elbow
- ø 13 - Elbow, Crimped
- ø 13 - Finishing Trim, Fixed





**PRODUCTION FACTORY**

**DIRSAN ISI ve METAL İŞLETME SANAYİ. ve TİCARET LTD. ŞTİ.**

**Organize Sanayi Bölgesi B. Cadde No:27 Kayseri / TURKEY**

**Tel: +90 352 321 13 37 (38) • 321 24 78 (79-80)**

**Fax: +90 352 321 12 27**

**[www.dirsan.com](http://www.dirsan.com) • [dirsan@dirsan.com](mailto:dirsan@dirsan.com)**